

9-30-2020

PROSPECTS OF THE DEVELOPMENT OF UNMANNED AERIAL VEHICLES (UAVs)

Rakhimjon Shokirov

Tashkent State Transport University, shokirovrahimjon@gmail.com

Nuriddin Abdujabarov

Tashkent State Transport University, abdujabarov.n@gmail.com

Takhirov Jonibek

Tashkent State Transport University

Kadamboy Saytov

Tashkent State Transport University

Saidbek Bobomurodov

The Ministry of innovative development of the Republic of Uzbekistan

Follow this and additional works at: <https://uzjournals.edu.uz/btstu>



Part of the [Aerospace Engineering Commons](#)

Recommended Citation

Shokirov, Rakhimjon; Abdujabarov, Nuriddin; Jonibek, Takhirov; Saytov, Kadamboy; and Bobomurodov, Saidbek (2020) "PROSPECTS OF THE DEVELOPMENT OF UNMANNED AERIAL VEHICLES (UAVs)," *Technical science and innovation*: Vol. 2020 : Iss. 3 , Article 5.
Available at: <https://uzjournals.edu.uz/btstu/vol2020/iss3/5>

This Article is brought to you for free and open access by 2030 Uzbekistan Research Online. It has been accepted for inclusion in Technical science and innovation by an authorized editor of 2030 Uzbekistan Research Online. For more information, please contact sh.erkinov@edu.uz.

PROSPECTS OF THE DEVELOPMENT OF UNMANNED AERIAL VEHICLES (UAVs)

N.A. Abdujabarov^{1*}, R.A. Shokirov¹, J.K. Takhirov¹, K. Saytov¹, S.Q. Bobomurodov²

¹Tashkent State Transport University

²The Ministry of innovative development of the Republic of Uzbekistan

Email: abdujabarov.n@gmail.com

Abstract. *This article outlines the current state of research and development for autonomous unmanned aircraft for civil use. Specifically, the history of UAVs for civil use, research and development in the world, and the topics and prospects for the control and operation of autonomous UAVs for civil use are defined. The perspectives for the use of unmanned aerial vehicles (UAVs) are addressed, programs due to the formation and problems preventing the use of UAVs are listed, and ways of increasing competitiveness are taken into account. This article provides an overview of research involving the advancement of UAV technology for the management of UAV production. Technologies, structures and procedures are researched and studied. As well as potential needs and recommendations for the implementation and deployment of UAV technology, the shortcomings of current UAVs for civil production management will be addressed.*

Key words: *UAV, surveillance, reconnaissance, ground system, unmanned flight devices, data, technical characteristics, artificial intelligence*

INTRODUCTION. The number of publications on unmanned aerial vehicles (UAVs) has recently increased. Since the early 1990s, there has been interest in this aircraft in the world. Every year the number of countries involved in UAV development is growing. Countries are developing UAVs on their own projects or participate in international programs. The experience of military conflicts of the past decade has shown that the success of combat operations largely depends on their information supply, in which reconnaissance UAVs play an important role. At present and for the foreseeable future, UAVs will continue to be used militarily, although they also have prospects in the civilian sector.

Currently, the development and mass production of UAVs are engaged in companies in many countries around the world. The greatest success in this field has been achieved by companies from the USA, Israel, Russia, France, Germany and Canada. They work on the UAV in Australia, Austria, Belgium, Brazil, Bulgaria, Holland, India, Iraq, Iran, Spain, Italy, China, United Arab Emirates, Poland, Portugal, Serbia, Montenegro, Singapore, Thailand, Taiwan, Tunisia, Turkey, Ukraine, Philippines, Finland, Croatia, Czech Republic, Sri Lanka, Switzerland, South Africa, South Korea and Japan [1, 2]. The unmanned aerial vehicles can be used for a wide variety of tasks: conducting round-the-clock air reconnaissance in real time using television and infrared equipment, suppressing stationary and mobile targets by means of combat unit, setting active and passive interference, imitation of false targets, correction of artillery fire, laser illumination of ground targets, etc. [3]. The UAV application area covers distances from 10 to 4,000 km, altitudes from 50 to 20,000 m, flight time from a few minutes to several months, takeoff weight from 0.2 to

40,000 kg. Historical analysis of works on UAV shows that they did not appear suddenly. Work on them began during the First World War. In 1930s the first samples of remotely piloted aircraft appeared, in 1940s - the first cruise missiles, in 1950s - unmanned scouts, in 1960s - long-range cruise missiles with nuclear warhead. In 1970s, research works on UAVs were started, in 1980s, strategic land-based, sea-based and air-based cruise missiles were adopted for service, in 1990, unmanned aerial vehicles with high altitude and duration of flight, designed for long-term surveillance and use in reconnaissance and strike systems. At the beginning of the 21st century, work began on combat UAVs capable of striking ground targets. The following tasks are set for the UAVs of single use: to increase the accuracy of hitting the target, to increase the flight range, the probability of overcoming the air defense and missile defense during military operations, to create conventional combat units with high destructive effect, to expand the range of objects of defeat, the possibility of correcting the flight mission during the flight, the associated use of single-use UAVs. to conduct intelligence. Tasks UAV multiple applications: high reliability and survivability, long duration and range of the flight, high flight, technical and economic performance, ability to conduct complex reconnaissance with real-time data transmission time, etc.

UAV HISTORY. Firefighting aid, police monitoring of civil unrest and crime scenes, disaster response intelligence [2], border security [3], traffic surveillance and regulation [4,5] and archaeological research [6] are common civil applications for UAVs. Since the 1980s, unmanned aerial vehicles have been developed and used for agricultural crop pollination. Unmanned aerial vehicles have been widely used since then, and particularly in the last decade, to take aerial photographs and obtain images of crop fields to facilitate crop management. UAVs usually fly at low altitudes to collect remote sensing data, in addition to the remote sensing of high-altitude flights from manned aircraft. Most agricultural UAVs are mini-models of fixed wing or rotary wing aircraft characterized by low cost, low value and low cost for the purpose of remote sensing at low altitudes (LA). Velocity, low ceiling height, low weight, low payload and short stamina [7, 8]. Kites, balloons, gliders and motorized waxes were also used for agricultural photography of LARS [9-15], in addition to fixed wing airplanes or helicopters. LARS UAVs usually operate on petrol methanol, but some operate on electricity from rechargeable batteries or solar power. UAVs using rechargeable batteries tend to only help short runs [7,8,16], and solar-powered vehicles have the ability to have a longer service life [16]. The Pesticide Spraying UAVs have a higher payload but can tolerate a longer flight [17] compared to the UAVs for agricultural LARS. Firefighting aid, police monitoring of civil unrest and crime scenes, disaster response intelligence [2], border security [3], traffic surveillance and regulation [4,5] and archaeological research [6] are common civil applications for UAVs. Since the 1980s, unmanned aerial vehicles have been developed and used for agricultural crop pollination. In order to facilitate crop management, unmanned aerial vehicles have been widely used since then, and particularly in the last decade, to take aerial photographs and obtain images of crop fields. The majority of agricultural UAVs for low altitude (LA) remote sensing are mini-models of fixed wing or rotary wing aircraft characterized by low cost, low cost and low cost, speed, low ceiling height, low weight, low payload and short endurance [7, 8]. Kites, balloons, gliders and motorized waxes were also used for agricultural photography of LARS [9-15], in addition to fixed wing airplanes or helicopters. LARS UAVs usually operate on petrol methanol, but some operate on electricity from rechargeable batteries or solar power. UAVs using rechargeable batteries tend to only help short runs [7, 8, 16], and solar-powered vehicles have the ability to have a longer service life [16]. The Pesticide Spraying UAVs have a higher payload but can tolerate a longer flight [17] compared to the UAVs for agricultural LARS.

PROSPECT OF THE FUTURE DEVELOPMENT. Rapidly developing technology has become both a boon and a curse on entrepreneurs. While it expanded business opportunities, it turned out that some market positions were quickly becoming obsolete due to improved navigation and flight software. The industry now began to select the most profitable business plans, and survival tactics included shifting the company's focus, including finding new target customers. Airware, the highest paid startup, originally developed cloud software and autopilot systems for agricultural drones. They had to fly over land and collect data on crop condition, assess field humidity and pest availability. But most farmers are not yet in a position to use such information, and companies need to look for new ways to use their drones.

UAVs have been established in the past, especially during the last decade. Generally, it can be stated that the WTO will play a major role in armed conflicts of the 21st century using conventional means of defeat. At the same time, local wars and regional military conflicts show the growing role of UAVs, a promising type of military equipment used for various military tasks: from the strategic and operational level to the tactical level, including flights in the interests of individual servicemen. The newly designed UAVs with new systematic architecture, construction methods, sensors and algorithms will be optimized and adopted for various uses in the next ten years or so. The composition of laboratory should facilities for modeling and debugging (Figure 1) includes hardware based on a real digital control system and software in the form of mathematical models of flight dynamics and specialized control software. The complex should also supplement with necessary control and verification equipment (rotary table, aneroid-membrane test equipment, etc.) and measuring equipment.




Figure 1 - Computer modeling and a MAVLink tool

CONCLUSION. Summing up the prospects of UAV use, it should be noted that in Uzbekistan, already actively working enterprises to create a UAV. In our opinion, Uzbek manufacturers should continue to win the drone market in Uzbekistan and in the world, develop and produce UAVs capable of creating competition for the devices of such manufacturers as <http://quadrocoptery.ru/3d-robotics-3dr/3D> Robotics (America), DJI Innovations (China) and

other advanced companies in the world. Unmanned aerial vehicles are also actively used in the agricultural sector to collect information on crop area, aerial survey, and chemical treatment of sprouts. Maintaining and maintaining UAVs is cheaper than similar costs for manned aviation. After all, planes and helicopters need to maintain pilot safety and security systems. Specialists, who manage and maintain the planes and helicopters, should undergo training, retraining, medical commission. The time and financial costs of drones are incommensurably lower. Opportunities to use drones, as well as other devices, are very limited by the technical characteristics, which can improve the competitiveness and strengthen the UAV market. In our opinion, the special such direction as artificial intelligence development deserves attention. Appearance of aboard autonomous AI systems will allow Unmanned Flight Devices to make independent decisions about the execution of the mission and will prevent the danger of interference, interception of control and radio detection by the enemy.

References

1. Official website of the national technical initiative [Electronic resource]. URL: <http://www.nti2035.ru/nti/> (date of address: 10.04.2017).
2. Vinokurova V. V., Vytovtov A. V., Shumilin V. V. Administrative and legal regulation of the use of unmanned aerial vehicles in the Russian Federation (in Russian) // Problems of safety at liquidation of emergency situations. 2015. №1.
3. Blazakis J. Border security and unmanned aerial vehicles. CRS Report for Congress, Order Code RS21698, 2 January 2004; Available online: <http://www.epic.org/privacy/surveillance/spotlight/0805/rsjb.pdf> (Accessed on 5 January 2012).
4. Mirchandani P, Hickman M, Angel A, Chandnani D. Application of aerial video for traffic flow monitoring and management. EOM, 2003; 12(4): 10-17.
5. Srinivasan S, Latchman H, Shea J, Wong T, McNair J. Airborne traffic surveillance systems – video surveillance of highway traffic. Proceedings of the ACM 2nd International Workshop on Video Surveillance and Sensor Networks, New York, New York, USA, 15 October 2004; pp. 1-5.
6. Eisenbeiss H. A mini unmanned aerial vehicle (UAV): system overview and image acquisition. Proceedings of International Workshop on Processing and Visualization using High-Resolution Imagery, Pitsanulok, Thailand, 18-20 November 2004; pp. 1-7.
7. Huang Y B, Lan Y B, Hoffmann W C, Fritz B K. Development of an unmanned aerial vehicle-based remote sensing system for site-specific management in precision agriculture. Proceedings of 9th International Conference on Precision Agriculture, Denver, Colorado, USA, 20-23 2008; pp. 1-10.
8. Huang Y B. Airborne remote sensing for precision aerial application of crop production and protection materials. Proceedings of 2010 Sino-US Workshop on Intelligent Equipment for Precision Agriculture and Remote Sensing in Agriculture. College Station, Texas, USA, 22 June 2010; pp. 109-111.
9. Amoroso L, Arrowsmith R. Balloon photography of brush fire scars east of carefree, Arizona. 2010; Available online: http://activetectonics.asu.edu/Fires_and_Floods/10_24_00_photos (accessed on 5 January 2012).
10. Aber J S, Aaviksoo K, Karofeld E, Aber S W. Patterns in Estonian bogs as depicted in color kite aerial photographs. Suo (Mires and Peat), 2002; 53(1): 1-15.
11. Seang T P, Mund J P. Balloon based geo-referenced digital photo technique: a low-cost high-resolution option for developing countries. Proceedings of XXIII FIG Congress, Munich, Germany, 8-13 October 2006; pp 1-12.

-
12. Lelong C D, Burger P, Jubelin G, Roux B, Labbe S, Baret F. Assessment of unmanned aerial vehicles imagery for quantitative monitoring of wheat crop in small plots. *Sensors*, 2008; 8: 3557-3585.